

AMENDMENT
OFFERED BY MR. TAYLOR OF OHIO

Page 225, beginning on line 5 strike “operating” and all that follows through line 11.

Page 225, after line 11, insert the following (and re-designate the subsequent paragraph accordingly):

- 1 (2) in paragraph (2)(A)—
- 2 (A) by inserting “responding to, recovering
- 3 from, or” before “transporting”; and
- 4 (B) by inserting “or other location at the
- 5 discretion of the Agency having jurisdiction, at
- 6 the discretion of transportation officials present
- 7 and with consideration of any nearby weight-re-
- 8 stricted infrastructure” after “repair facility”;
- 9 and

At the end of subtitle B of title V of the bill, add the following:

10 **SEC. 5 ____ . LENGTH LIMITATIONS.**

11 Section 31111 of title 49, United States Code, is

12 amended—

13 (1) in subsection (a) by adding at the end the

14 following:

1 “(8) COVERED HEAVY-DUTY TOW AND RECOV-
2 ERY VEHICLE.—In this section, the term ‘covered
3 heavy-duty tow and recovery vehicle’ means any ve-
4 hicle transporting a wrecked or disabled vehicle from
5 the place where the vehicle became wrecked or dis-
6 abled to the nearest appropriate repair facility or
7 other location as directed by any Agency having ju-
8 risdiction, at the discretion of transportation officials
9 present and with consideration of any nearby
10 weight-restricted infrastructure.”; and

11 (2) in subsection (b)(1)—

12 (A) in subparagraph (G) by striking “or”;

13 (B) in subparagraph (H) by striking the
14 period and inserting “; or”; and

15 (C) by adding at the end the following:

16 “(I) imposes an overall length limit on any
17 combination of vehicles being transported by a
18 covered heavy-duty tow and recovery vehicle
19 provided that the wrecked or disabled vehicle
20 combination being transported was in compli-
21 ance with applicable length limits at the time
22 and place of the initial disablement or wreck,
23 and movement is conducted at the discretion of
24 transportation officials present and with consid-

1 eration of nearby weight-restricted infrastruc-
2 ture.”.

